Friday, 18/07/2008 1:10:17 PM

User:

Julie Lecocq

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number **Estimate Number** : 40645

: 12661

P.O. Number This Issue

Previous Run

: 18/07/2008

Prsht Rev. : NC

First Issue

: 11 : 38610

S.O. No. :

: SMALL /MED FAB

Type

Part Number **Drawing Number**

Drawing Name

: D35742

: D3574 REV.A : N/A

: CABIN FLOOR PROTECTOR

Project Number Drawing Revision

: A

Material

Due Date

: 31/07/2008

Qty:

4 Um:

Each

Written By

Checked & Approved By

Comment

: Est Rev : A New Issue 07-01-22 EC

Additional Product

Job Number:



Seq. #:

1.0

2.0

Machine Or Operation:

Description:

MLEXS125F6002904

GE PLASTICS LEXAN SHEET

Comment: Qty.: 33.6000 sf(s)/Unit Total: 134.4000 sf(s)

lexan sheet

Batch: 10533C

WATER JET



Comment: FLOW WATER JET

1-Cut as per Dwg D3574

Dwg Rev:__ Prog Rev:_

1R8-7-22

2-Deburr if necessary

3.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE



8-7-20



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0

QC8

SECOND CHECK

Comment: SECOND CHECK

SMALL & MEDIUM FAB RESOURCE 1

5.0

SMALL FAB 1

Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr if necessary.



Dart Aerospace Ltd

W/O:				WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE			Ву		ate Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
		.,									
Part No	•		PAR #:	Fault Category:	NCR	: Yes	No DQ	A :	_ Date: _		
						QA: I	N/C Closed	d:	_ Date: _	<u>.</u>	

NCR:	WORK ORDER NON-CONFORMANCE (NCR)							
		Description of NC		Corrective Action Section B		Varification	A.i	Approval QC Inspector
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Approv		

NOTE: Date & initial all entries

Friday, 18/07/2008 1:10:17 PM Date: User: 1 Julie Lecocq **Process Sheet** Drawing Name: CABIN FLOOR PROTECTOR Customer: CU-DAR001 Dart Helicopters Services Part Number: D35742 Job Number: 40645 Job Number: Seq. #: Description: **Machine Or Operation:** INSPECT WORK TO CURRENT STEP 6.0 QC5 Comment: INSPECT WORK TO CURRENT STEP PACKAGING RESOURCE #1 PACKAGING 1 7.0 Comment: PACKAGING RESOURCE #1 Identify with P/N and B/N using a permanent fine point marker, then Stock Location: FINAL INSPECTION/W/O RELEASE QC21 8.0 Comment: FINAL INSPECTION/W/O RELEASE Job Completion

Dart Aerospace Ltd

	. copace E								
W/O:			WC	RK ORDER CHANGI	ES				
DATE	STEP	PR	OCEDURE CHAI	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
						3			
Part No	:	PAR #:	Fault Categ	ory:	NCR: Yes	No DQA	:	Date:	
					QA:	N/C Closed	:	Date: _	
NCR:			WORK ORDE	R NON-CONFORMA	NCE (NC	R)			
DATE	OTED	Description of NC		Corrective Action Section			ation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign Date	Section Section	Verification Appro	Chief Eng	QC Inspector
									
			,						

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order: (10645
Description: Cabin Floor Protector	Part Number:	D3574-2
Inspection Dwg: D3574 Rev: A		Page 1 of 2

FIRST ARTICLE INSPECTION CHECKLIST.

X	First Article	Prototyp	е
---	---------------	----------	---

Drawing	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Dimension						
Ø3.00	+0.006/-0.001	<u>3</u> ,0 5 _	×C		/ AR mass	
7.37	+/-0.030	7.37	₹			<u> </u>
11.00	+/-0.030	11.00	N.			
15.25	+/-0.030	15.26	×2	··		
25.87	+/-0.030	78.76	X.			
39.75	+/-0.030	39.75	4			
44.75	+/-0.030	44.75	x€			
53.51	+/-0.030	53.51	*			
63.50	+/-0.030	63.50	A			
65.25	+/-0.030	65.05	*			
10.75	+/-0.030	10.75	*			
14.75	+/-0.030	14.75	i l			
25.50	+/-0.030	25,50	×			
25.75	+/-0.030	25.75	×			
26.00	+/-0.030	26.00	X			
32.87	+/-0.030	32.87	*			
38.81	+/-0.030	38.81	*			
45.00	+/-0.030	45,00	X 2	-	*	
47.75	+/-0.030	Arthin	Pto N	enser	Venoc	
58.38	+/-0.030	85.82	×		TAME MEAN	
61.25	+/-0.030	61.25	15E			
64.13	+/-0.030	64 13	×			
64.63	+/-0.030	64.63	$\hat{\mathbf{x}}$			
7.50	+/-0.030	7.50	Y	·		
9.50	+/-0.030	9.68	K			
10.38	+/-0.030	10.38	4			
10.88	+/-0.030	10.88	×			
14.50	+/-0.030	14.50	*	-	***	

colabb

Dools/23

DART AEROSPACE LTD	Work Order: 40645
Description: Cabin Floor Protector	Part Number: D3574-2
Inspection Dwg: D3574 Rev: A	Page 2 of 2

FIRST ARTICLE INSPECTION CHECKLIST

X	First Article	Prototype


Drawing	Tolerance	Actual	Accept	Reject	Method of	Comments
Dimension	- Tolerande	Dimension	7.000 p.1	i tojout	Inspection	
16.56	+/-0.030	16.56	×		Tre rema	
18.75	+/-0.030	18.75	×			
24.13	+/-0.030	24.12	8			
26.50	+/-0.030	26.56	χ			
30.50	+/-0.030	30.60	×6			
33.88	+/-0.030	33.88	×			
39.50	+/-0.030	39,50	×			
40.25	+/-0.030	40.25	X			·
43.50	+/-0.030	43.00	x			
46.60	+/-0.030	46.60	ж			
7.63	+/-0.030	7.63	×			
11.00	+/-0.030	80.11	*			
11.50	+/-0.030	11.50	×			
16.75	+/-0.030	16.75	×			
19.00	+/-0.030	19.00	K			
22.50	+/-0.030	23.50	X			
30.75	+/-0.030	30.75	×			
32.63	+/-0.030	3563	×			
32.75	+/-0.030	32.75	æ			
35.13	+/-0.030	35/13	Δ	<u> </u>		
36.50	+/-0.030	1	Á			
40.00	+/-0.030	40.00	*			_
41.88	+/-0.030	١ ، ﻣﻤ	*			
43.63	+/-0.030	43.63	&		A	

		(
Measured by:	Audited by:	8	Prototype Approval:	N/A
Date: 8-7-22	Date:	08/03/22	Date:	N/A
				

Rev	Date	Change	Revised by	Approved
Α	08.02.28	New Issue	KJ//DD	



DESIG	<u>"</u>	DRAWN BY	DART AEROSPACE HAWKESBURY, ONTARIO, CAI	
CHEC	KED	APPROVED d	DRAWING NO.	REV. A
1	=	#	D3574	SHEET 1 OF 5
DATE		-	TITLE	SCALE
07.0	06.08		CABIN FLOOR PROTECTOR	1:14
Α		07.06.08	NEW ISSUE	



D3574-1 CABIN FLOOR PROTECTOR (SHOWN), D3574-2 (OPPOSITE)


NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-1/-2" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8961

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.








NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-3" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8962

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3574-4 CABIN FLOOR PROTECTOR


NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-4" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- CHECK PER TEMPLATE DT8963

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.








NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-5" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8964

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3574-6 CABIN FLOOR PROTECTOR

NOTES:

1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)

WORK ORDER

- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-6" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8965

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.